



SFP-12 Eave Roof Panel



- * Effectively controls Ice and Snow with 2 passes of cable
- * Heats more than 12 inches up the roof deck
- * Comes with a 30-year protective Kynar finish.
- * Sheet metal pieces come in 48-inch widths for ease of handling.
- An economical and beautiful option to control ice dams for 12-inch eave overhangs.

System Parts List:

- 1-6" Aluminum Extrusion
- 1—SFP 24 ga. Kynar Steel Base
- 1—SFP Cleat Drip Edge
- 1—SFP 24 ga. Kynar Steel Cap
- 1—SFP 24 ga. Kynar Steel Expansion Joint



Description

The 12-inch eave roof panel is an efficient method to control any ice dams that would form on a building with an overhang up to 14". With close to 16" of the deck covered, the SFP-12 panel will create all the open area for water to safely ow from the roof without the possibility to refreeze over unheated portions of the roof. The Sno-Free heated panel system gives an aesthetic look to any structure while keeping a more efficient and cleaner method to eliminate ice dam issues. All SFP systems come standard with a durable 30 year Kynar finish to match most desired looks.

Applications

For all buildings with a pitch greater than 4/12

For new roof installations:

Asphalt Shingle Wood Shake Shingles Tile or Slate Roofs

Standing Seam Metal For installation on existing roofs:

Asphalt Shingle Wood Shake Shingles

Key Sections

- Chosen Roofing Material
- 12" Strip of Ice & Water Barrier
- 3. SFP-12 Cover
- 4. 6"Extrusion with 2 Passes of heat cable
- 5. SFP-12 Base
- 6. SFP-Cleat
- 7. Structural Roof Sheeting
- 8. 2806-R / 6 Watts per Foot Heat Cable
- 9. Full Roof Water Barrier

