


SFP-V New Valley Panel



- * Effectively controls ice and snow with 4 passes of cable
- * Cable requirements as recommended.
- * Heats more than 10 inches of each side of the valley.
- * Comes with a 30-year protective Kynar finish.
- * Sheet metal pieces come in 48-inch widths for ease of handling.
- * Minimal exposed fasteners for better roof membrane protection.

* System Parts List:

- 2—Aluminum Extrusions (4" or 6")
- 1—SFP 24 ga. Kynar Steel Base
- 1—SFP 24 ga. Kynar Steel Valley Connector
- 2—SFP 24 ga. Kynar Steel Caps
- 2—SFP 24 ga. Kynar Steel Expansion Joint

Description


The Sno-Free 4" or 6" Valley Panel is an efficient method to control any ice dams that would form within a valley. Effectively clearing both sides of the valley between 6"-10". The SFP-V panel will create all the open area for water to safely flow from the valley without the possibility to refreeze over unheated portions of the roof. The Sno-Free heated panel system gives an aesthetic look to any structure while keeping a more efficient and cleaner method to eliminate ice dam issues in a valley or dormer. All SFP systems come standard with a durable 30 year Kynar finish to match most desired looks.

Applications

For all buildings with a pitch greater than 4/12

For new roof installations:


- Asphalt Shingle
- Wood Shake Shingles
- Tile or Slate Roofs
- Standing Seam Metal



Key Sections

- | | |
|--|---|
| 1. Chosen Roofing Material | 5. SFP-4V Valley Base |
| 2. SFP-12 Cover (Leftside) | 6. Fascia and Existing Drip Edge |
| 3. SFP-12 Cover (Rightside) | 7. 2806-R / 6 Watts per Foot Heat Cable |
| 4. 4" Extrusion with 2 Passes of heat cable on both sides of the valley. | 8. Full Roof Water Barrier |

SFP-V-4



SFP-V-6

