



## SFP-18 Eave Roof Panel



- \* Effectively controls ice and snow with three passes of cable
- \* Heats more than 18 inches up the roof deck
- \* Comes with a 30-year protective Kynar finish
- \* Sheet metal pieces come in 48-inch widths for ease of handling
- \* An economical and beautiful option to control ice dams for 18-inch eave overhangs

### System Parts List:

- 1—4" Aluminum Extrusion
- 1—6" Aluminum Extrusion
- 1—SFP 24 ga. Kynar Steel Base
- 1—SFP Cleat Drip Edge
- 1—SFP 24 ga. Kynar Steel Cap
- 1—SFP 24 ga. Kynar Steel Expansion Joint



### Description

The 18-inch eave roof panel is an efficient method to control any ice dams that would form on a building with an overhang up to 20". With close to 24" of the deck covered, the SFP-18 panel will create all the open area for water to safely flow from the roof without the possibility to refreeze over unheated portions of the roof. The Sno-Free heated panel system gives an aesthetic look to any structure while keeping a more efficient and cleaner method to eliminate ice dam issues. All SFP systems come standard with a durable 30-year Kynar finish to match most desired looks.

### Applications

For all buildings with a pitch greater than 4/12

For new roof installations:

- Asphalt Shingle
- Wood Shake Shingles
- Tile or Slate Roofs
- Standing Seam Metal

For installation on existing roofs:

- Asphalt Shingle
- Wood Shake Shingles

### Key Sections

- |  |   |
|--|---|
| 1. Chosen Roofing Material   | 5. SFP-18 Base                          |
| 2. 12" Strip of Ice & Water Barrier  | 6. SFP-Cleat                            |
| 3. SFP-18 Cover  | 7. Structural Roof Sheeting             |
| 4. 6" Extrusion with 2 Passes of heat cable and a 4" Extrusion with 1 Pass of heat cable | 8. 2806-R / 6 Watts per Foot Heat Cable |
|  | 9. Full Roof Water Barrier              |

