


SFP-6 Eave Roof Panel



Description

The 6-inch eave roof panel is an efficient method to control any ice dams that would form on a building with an overhang up to 9". With close to 12" of the deck covered, the SFP-6 panel will create all the open area for water to safely flow from the roof without the possibility to refreeze over unheated portions of the roof. The roof heating panel system gives an aesthetic look to any structure while keeping a more efficient and cleaner method to eliminate ice dam issues. All SFP systems come standard with a durable 30-year Kynar finish to match most desired looks.

- * Effectively controls ice and snow with two passes of cable
- * Heats more than 6 inches up the roof deck
- * Comes with a 30-year protective Kynar finish.
- * Sheet metal pieces come in 48-inch widths for ease of handling.
- * An economical and beautiful option to control ice dams.

System Parts List:

- 1—4-inch Aluminum Extrusion
- 1—SFP 24 ga. Kynar Steel Base
- 1—SFP Cleat Drip Edge
- 1—SFP 24 ga. Kynar Steel Cap
- 1—SFP 24 ga. Kynar Steel Expansion Joint

Applications


For all buildings with a pitch greater than 4/12

For new roof installations:

- Asphalt Shingle
- Wood Shake Shingles
- Tile or Slate Roofs
- Standing Seam Metal

For installation on existing roofs:

- Asphalt Shingle
- Wood Shake Shingles



Key Sections

- | | |
|---------------------------------------------|-----------------------------------------|
| 1. Chosen Roofing Material | 5. SFP-6 Base |
| 2. 12" Strip of Ice & Water Barrier | 6. SFP-Cleat |
| 3. SFP-6 Cover | 7. Structural Roof Sheeting |
| 4. 4" Extrusion with 2 Passes of heat cable | 8. 2806-R / 6 Watts per Foot Heat Cable |
| | 9. Full Roof Water Barrier |

