



SFP-24 Eave Roof Panel



- * Effectively controls ice and snow with four passes of cable
- * Heats more than 24 inches up the roof deck
- * Comes with a 30-year protective Kynar finish
- * Sheet metal pieces come in 48-inch widths for ease of handling
- * An economical and beautiful option to control ice dams for 24-inch eave overhangs

System Parts List:

- 2—6" Aluminum Extrusion
- 1—SFP 24 ga. Kynar Steel Base
- 1—SFP Cleat Drip Edge
- 1—SFP 24 ga. Kynar Steel Cap
- 1—SFP 24 ga. Kynar Steel Expansion Joint



Description

The 24-inch eave roof panel is an efficient method to control any ice dams that would form on a building with an overhang up to 30". With close to 30" of the deck covered, the SFP-24 panel will create all the open area for water to safely flow from the roof without the possibility to refreeze over unheated portions of the roof. The Sno-Free heated panel system gives an aesthetic look to any structure while keeping a more efficient and cleaner method to eliminate ice dam issues. All SFP systems come standard with a durable 30-year Kynar finish to match most desired looks.

Applications

For all buildings with a pitch greater than 4/12

For new roof installations:

- Asphalt Shingle
- Wood Shake Shingles
- Tile or Slate Roofs
- Standing Seam Metal

For installation on existing roofs:

- Asphalt Shingle
- Wood Shake Shingles

Key Sections

- | | |
|--|---|
| 1. Chosen Roofing Material | 5. SFP-24 Base |
| 2. 12" Strip of Ice & Water Barrier | 6. SFP-Cleat |
| 3. SFP-24 Cover | 7. Structural Roof Sheeting |
| 4. 2 6" Extrusions with 4 Passes of heat cable | 8. 2806-R / 6 Watts per Foot Heat Cable |
| | 9. Full Roof Water Barrier |

